



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.
Rangoon.....	Nov. 5	252,155	157	10	2								1
Do.....	Nov. 12		149	7	4								
Rotterdam.....	Dec. 3	425,548	118								1	1	
Salgon.....	Oct. 30	206,000	4		1			3					
Do.....	Nov. 6		2					2					
Do.....	Nov. 13		6		1			5					
St. Petersburg.....	Nov. 19	1,678,000	749	126		2		7		7	2	19	7
Salaverry.....	Nov. 14	1,500						1					
Salina Cruz.....	Dec. 10	6,138	8						1				
San Luis Potosi.....	Nov. 12	82,946	62	7				2	4				
Santa Cruz de Tenerife.....	Nov. 26	46,000	23	1						1			
Santiago de Cuba.....	Dec. 3	45,470	28	9						1			
Shanghai.....	Nov. 13	565,000	119	7				12		2			
Do.....	Nov. 20		121	9				4				1	
Singapore.....	Oct. 29	271,060	206	20				3					
Do.....	Nov. 5		222	27									
Sheffield.....	Nov. 19	472,000	144	5						1	1	1	2
Do.....	Nov. 26		128	6								6	1
Stuttgart.....	Nov. 28	291,000	118	9						1		2	2
Talcahuano.....	Nov. 5	28,000	6	1						1		2	
Do.....	Nov. 12		4							1		1	2
Trebizond.....	Nov. 19	55,000				14							
Turin.....	Nov. 24	391,988	172	18					1			1	
Valencia.....	Nov. 26	240,000	78	7					1		2		
Do.....	Dec. 3		107	4					2				
Victoria.....	Dec. 10	40,000	4	1							1		
Vienna.....	Nov. 19	2,130,320	687	97					1	5	7	5	
Do.....	Nov. 26		657	87					1	3	4	8	
Vigo.....	Dec. 3	40,000	8	2					1				
Vladivostok.....	Sept. 28	90,162	31	4				1					
Do.....	Oct. 13		25	2					3				
Do.....	Oct. 21		11	2		8			1				
Do.....	Oct. 28			2		43			1				
Warsaw.....	Sept. 24	781,179	247	29				3		7	20	2	5
Do.....	Oct. 1		262	30					6	20	3	4	
Do.....	Oct. 8		281	37				1		33	5	3	3
Winnipeg.....	Dec. 10	135,000	73	1					1	3	3	1	
Yarmouth.....	do.	6,700											
Yokohama.....	Nov. 21	407,432							2		1		
Do.....	Nov. 28								3		1		

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

CANADA—*Hamilton*.—Month of November, 1910. Population, 73,500. Total number of deaths from all causes 88, including diphtheria 1, tuberculosis 5.

CAPE COLONY—*Cape Town*.—Three months ended September 30, 1910. Population, 51,250. Total number of deaths from all causes 374, including typhoid fever 2, measles 6, diphtheria 4.

EAST AFRICA—*Lourenco Marquez*.—Month of October, 1910. Population, 10,000. Total number of deaths from all causes 45, including scarlet fever 1, tuberculosis 8.

GREAT BRITAIN.—Week ended November 19, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 15.5 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.9 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Sligo, viz, 4.8, and the highest at Clonmel, viz, 30.8 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 16.2 per 1,000 of the population, which is estimated at 1,891,936. The lowest rate was recorded at Perth, viz, 9.8, and the highest at Greenock, viz, 21.3 per 1,000. The total number of deaths from all causes was 588, including typhoid fever 6, measles 4, scarlet fever 5, diphtheria 8.

ITALY—*Catania*.—November 7 to December 1, 1910. Population, 210,000. Total number of deaths from all causes 215, including smallpox 1, tuberculosis 9.

MALTA.—Two weeks ended November 26, 1910. Population, 215,879. Total number of deaths from all causes 180, including typhoid fever 1, tuberculosis 5.

ST. THOMAS.—Three months ended September 30, 1910. Population, 12,019. Total number of deaths from all causes 86, including typhoid fever 1, tuberculosis 9.

TURKEY—*Saloniki*.—Month of October, 1910. Population, 200,000. Total number of deaths from all causes 148, including typhoid fever 20, tuberculosis 20.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.